


IML Baskı Alanı



IML Baskı İçin

- Çalışmalarda kullanılacak dosya formatları;
Adobe Illustrator, Adobe PDF üzerinde oluşturulmuş olmalıdır.



Resimler;



Grafikte kullanılan kadrada iken 300 dpi,
Tercihen Pantone renk kanallarına ayrılmış CMYK-TIFF veya PSD
Yazılar vektör (convertli)
Diğer grafik unsurları vektörel olmalıdır.

Yazılara müdahale edilecek ise, dosya illüstrator formatında ve yazılar font halinde gönderilmelidir. Tasarımda kullanılan tüm fontlar resimler linkleri ile birlikte ayrı dosya olarak iletilmelidir.

Grafik Limitleri

CMYK + 2 Pantone



Ton aralığı, % 0- %100 arasında olmalıdır.

Çizgi kalınlığı min. 0,1 pt.


Yazı Limitleri

İtalik ve serifli fontlar kullanılmamalıdır.
En küçük punto olarak 4 punto, dışı yazılarda 5 punto bold ve üzeri
puntolar kullanılmıdır.


İz Baskı	İz Baskı	İz Baskı	İz Baskı	İz Baskı	İz Baskı
2 punto	3 punto	4 punto	İz Baskı	İz Baskı	İz Baskı
2 punto	3 punto	4 punto	5 punto	6 punto	7 punto

Barkod Limitleri

Magnifcation %80 altına inmemelidir.
Örnek olarak EAN-13 barkod için minimum ; en 30 mm x Boy 17 mm
Sadece tek renk ve barkod alanı beyaz olmalıdır.



IML Printing Area



IML Printing Specs

- Accepted file formats;
Adobe Illustrator, Adobe PDF.



Images;



300 dpi on used size in artwork,
Color separated with Pantone colors or CMYK, TIFF or PSD
Text should be converted. (vector)
Other objects should be vector.

If editing texts is required, the file should be sent as Illustrator open format without converted text. All the fonts and images used in the artwork should be linked and sent together with the file.

Graphic Limits

CMYK + 2 Pantone



Tint values range should be between 0% - 100%.



Negative line tickness min. 0,1 pt.

Text Limits

Italic and Serif fonts should be avoided.
Min. text size is 4 pt, for negative text its 5 pt bold or bigger.

		İz Baskı	İz Baskı	İz Baskı	İz Baskı
			İz Baskı	İz Baskı	İz Baskı
2 pt	3 pt	4 pt	5 pt	6 pt	7 pt

Barcode Limits

Magnification should be min. 80%
EAN-13 barcode size should be minimum; 30 mm x 17 mm
Only one separation and with white clear area.

