


IML Baskı Alanı



IML Baskı İçin

- Çalışmalarda kullanılacak dosya formatları;
Adobe Illustrator veya PDF olmalıdır.
(Tercihen PDF kullanılmalıdır.)



Resimler;



Grafikte kullanılan kadrajda iken 300 dpi,
Tercihen CMYK-TIFF veya PSD olmalıdır.
Diğer grafik unsurları vektörel olmalıdır.


Çalışma Illustrator formatında gönderilip yazılara ve resimlere müdahale edilecek ise, font ve resimlerin dosya ile gönderilmesi gerekmektedir.
Tasarımda kullanılan yazılara müdahale gerekmiyor ise yazılar konvertlenebilir.
Çalışma PDF olarak kaydedilecek ise tasarım programınızda kaydederken aşağıda ki ayarlara göre PDF kaydetmeniz gerekmektedir.

PDF Kaydetme Ayarları

Adobe Illustrator---File---Save As---Format: Adobe PDF---Adobe PDF Preset---PDF/X-4:2008---Compatibility: Acrobat 8---Advanced---Fonts---Subset %0

Grafik Limitleri

CMYK + 2 Pantone



Çizgi kalınlığı min. 0,1 pt.


Yazı Limitleri

İtalik ve serifli fontlar kullanılmamalıdır.
En küçük punto olarak 4 punto, dışı yazılarda 5 punto bold ve üzeri
puntolar kullanılmıdır.




Barkod Limitleri

Magnification %80 altına inmemelidir.
Örnek olarak EAN-13 barkod için minimum; en 30 mm x Boy 17 mm
Sadece tek renk ve barkod alanı beyaz olmalıdır.



IML Printing Area





IML Printing Specs

Accepted file formats:

It must be in Adobe Illustrator or PDF format.
(We are suggesting to make the design in PDF format.)



Images:



300 dpi on used size in artwork,
Color separated with Pantone colors or CMYK, TIFF or PSD
Text should be converted. (vector)
Other objects should be vector.


If we need to edit the Illustrator file, please send the text and images separately with the artwork.
If there is no need for editing the text, you may convert the text.
When sending artwork in PDF format, please save the file according to the settings below.

Save PDF Settings.

Adobe Illustrator---File---Save As---Format: Adobe PDF---Adobe PDF Preset---PDF/X-4:2008---Compatibility: Acrobat 8---Advanced---Fonts--- Subset %0


Graphic Limits

CMYK + 2 Pantone



Text Limits

Italic and Serif fonts should be avoided.
Min. text size is 4 pt, for negative text its 5 pt bold or bigger.



Barcode Limits

Magnification should be min. 80%
EAN-13 barcode size should be minimum; 30 mm x 17 mm
Only one separation and with white clear area.

